VITAL STATISTICS
ANNUAL REVIEW
1982

Alberta

84- 3010 /

VITAL STATISTICS

ANNUAL REVIEW

1982

This publication is
restricted to events
occurring in Alberta

TABLE OF CONTENTS

	Page
Introduction	5
List of Tables	7
Summary of Vital Statistics, Alberta, 1982	29
Births, Deaths and Marriages, Alberta Municipalities of Population 1,000 or Greater, 1982	33
Comparative Vital Statistics for Selected Regions and Countries for 1980, 1981	41
Glossary of Terms	47
List of 72 Selected Causes of Death	49

Alberta
SOCIAL SERVICES
AND COMMUNITY HEALTH
Vital Statistics

Introduction

This publication is a summary of Vital Statistics of the Province of Alberta for 1982, as of December 1983.

Only events which took place in Alberta are included. However, Statistics Canada figures are adjusted to exclude events to non-Alberta residents, and include events to Alberta residents in other Provinces.

Tables were generated from the Vital Statistics Information Terminal System (VISITS) and I wish to thank the Planning Secretariat for their assistance in compiling this review.

Bill Gilroy

S. William Gilroy
Director
Division of Vital Statistics
Alberta Social Services and
Community Health

Errata:

Page 33 should read .....

Accidents and Adverse Effects (0.43)

Page 35 should read .....

	Births	Rate	Marriages	Rate	Deaths	Rate
Coalhurst	39	35.10	6	5.40	3	2.70
Crowsnest Pass	121	15.97	49	6.47	87	11.48

LIST OF TABLES

Number	Title	Page No.
Table 1	Live Births Occuring in Alberta, Age of Mother by Birth Order, 1982	8
Table 2	In-Wedlock Live Births Occurring in Alberta, Age of Mother by Birth Order, 1982	9
Table 3	Out-Of-Wedlock Live Births Occurring in Alberta, Age of Mother by Birth Order, 1982	10
Table 4	Multiple Live Births Occurring in Alberta, By Age of Mother, 1982	11
Table 5	Male Live Births Occurring in Alberta, Birthweight by Age of Mother, 1982	12
Table 6	Female Live Births Occurring in Alberta, Birthweight by Age of Mother, 1982	14
Table 7	Male Live Births Occurring in Alberta, Birthweight by Gestation Period, 1982	16
Table 8	Female Live Births Occurring in Alberta, Birthweight by Gestation Period, 1982	18
Table 9	Marriages Occurring in Alberta Age of Bridegroom by Age of Bride, 1982	20
Table 9A	First Marriages Occurring in Alberta Age of Bridegroom by Age of Bride, 1982	20
Table 10	Marriages Occurring in Alberta, Marital Status of Bridegroom by Marital Status of Bride, 1982	21
Table 11	Deaths Occurring in Alberta, Cause by Sex and Age, 1982	22
Table 12	Infant Deaths Occurring in Alberta, Cause by Sex and Age, 1982	28

TABLE 1 – LIVE BIRTHS OCCURRING IN ALBERTA, AGE OF MOTHER BY BIRTH ORDER, 1982

AGE OF MOTHER (YEARS)	RESIDENTS BIRTH ORDER 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH	10TH+	NS	TOTAL	NON-RESIDENTS TOTAL	TOTAL
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	3	–	–	–	–	–	–	–	–	–	–	3	–	3
14	26	1	–	–	–	–	–	–	–	–	1	28	–	28
15	128	6	–	–	–	–	–	–	–	–	3	137	–	137
16	338	16	1	–	–	–	–	–	–	–	3	358	4	362
17	641	88	–	–	–	–	–	–	–	–	11	740	6	746
18	969	195	21	2	1	–	–	–	–	–	19	1207	17	1224
19	1194	443	54	4	–	–	–	–	–	–	20	1715	16	1731
20	1325	597	114	20	2	–	–	–	–	–	21	2079	16	2095
21	1500	854	196	26	3	–	–	–	–	–	26	2605	17	2622
22	1660	1022	307	49	5	2	1	–	–	–	23	3069	20	3089
23	1617	1196	386	70	14	1	–	–	–	–	32	3316	23	3339
24	1630	1205	481	123	12	5	1	1	–	–	29	3487	28	3515
25	1540	1300	523	139	28	7	–	–	–	–	26	3563	19	3582
26	1487	1368	564	154	42	8	6	1	–	–	24	3654	24	3678
27	1262	1197	596	183	44	17	10	–	3	–	16	3328	23	3351
28	1058	1124	551	177	51	13	7	9	2	–	17	3009	16	3025
29	798	1044	544	200	63	21	12	4	–	–	18	2704	14	2718
30	654	843	482	179	49	19	12	5	1	–	7	2251	8	2259
31	508	636	407	181	55	17	14	3	1	2	16	1840	11	1851
32	363	492	355	136	48	29	20	3	1	–	4	1451	13	1464
33	250	348	252	124	56	23	11	6	5	3	7	1085	5	1090
34	190	264	214	91	46	20	11	11	3	2	5	857	3	860
35	138	187	184	83	32	25	12	8	8	3	2	682	5	687
36	93	111	100	56	25	13	10	5	6	7	4	430	4	434
37	53	76	66	52	26	11	8	4	4	6	1	307	2	309
38	43	41	60	35	16	7	7	3	1	3	2	218	3	221
39	31	25	23	19	11	–	6	4	2	2	2	125	–	125
40	14	9	15	25	12	3	4	9	4	7	–	102	2	104
41	11	11	13	4	8	5	3	1	1	3	–	60	2	62
42	7	5	2	3	6	6	1	–	3	3	–	36	1	37
43	5	4	7	3	2	–	3	2	1	7	–	34	1	35
44	2	2	1	1	1	2	1	1	–	1	–	12	1	13
45	–	2	–	–	–	–	1	–	–	1	–	4	–	4
46	–	–	–	2	1	1	–	–	–	–	–	4	–	4
47	1	1	1	–	–	–	1	–	–	–	–	4	–	4
48	–	–	–	–	–	–	–	–	–	1	–	1	–	1
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50+	2	2	–	–	–	–	–	–	–	1	–	5	–	5
NS	37	35	16	5	–	1	1	–	2	1	2	100	–	100
TOTAL	19578	14750	6536	2146	659	256	163	80	48	53	341	44610	304	44914

TABLE 2 – IN-WEDLOCK LIVE BIRTHS OCCURRING IN ALBERTA, AGE OF MOTHER BY BIRTH ORDER, 1982

AGE OF MOTHER (YEARS)	RESIDENTS BIRTH ORDER											TOTAL	NON-RESIDENTS TOTAL	TOTAL
	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH	10TH+	NS			
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	1	–	–	–	–	–	–	–	–	–	–	1	–	1
15	16	–	–	–	–	–	–	–	–	–	–	16	–	16
16	59	2	–	–	–	–	–	–	–	–	1	62	1	63
17	163	39	–	–	–	–	–	–	–	–	1	203	–	203
18	396	98	9	1	–	–	–	–	–	–	8	512	7	519
19	648	287	24	1	–	–	–	–	–	–	14	974	8	982
20	896	439	80	12	–	–	–	–	–	–	10	1437	9	1446
21	1168	681	137	11	2	–	–	–	–	–	20	2019	13	2032
22	1377	870	240	37	1	1	1	–	–	–	18	2545	17	2562
23	1394	1029	324	51	5	–	–	–	–	–	26	2829	18	2847
24	1449	1105	396	96	8	4	–	1	–	–	22	3081	25	3106
25	1379	1173	465	102	16	5	–	–	–	–	24	3164	18	3182
26	1359	1273	513	130	33	4	4	1	–	–	20	3337	22	3359
27	1135	1123	544	158	38	12	9	–	1	–	15	3035	22	3057
28	952	1064	521	160	44	7	2	4	1	–	15	2770	14	2784
29	703	994	515	180	54	17	9	3	–	–	16	2491	10	2501
30	546	802	448	165	44	15	8	3	1	–	5	2037	5	2042
31	421	616	382	161	48	13	11	3	1	1	12	1669	10	1679
32	292	460	341	124	43	25	15	2	1	–	2	1305	9	1314
33	185	327	232	113	50	18	9	5	5	2	3	949	3	952
34	151	246	205	86	42	18	10	10	3	1	3	775	3	778
35	103	173	175	76	27	22	10	8	6	2	2	604	3	607
36	60	104	99	54	24	9	7	4	6	5	2	374	3	377
37	37	71	60	44	21	11	8	4	4	5	1	266	1	267
38	25	37	57	31	14	5	7	3	1	2	–	182	2	184
39	16	22	22	17	8	–	4	4	1	2	1	97	–	97
40	10	8	14	21	12	3	4	6	1	6	–	85	2	87
41	7	9	11	4	8	3	2	1	1	2	–	48	2	50
42	5	5	2	3	5	6	1	–	2	3	–	32	1	33
43	3	3	6	2	2	–	3	2	–	6	–	27	1	28
44	1	1	1	1	1	2	1	1	–	1	–	10	–	10
45	–	1	–	–	–	–	1	–	–	1	–	3	–	3
46	–	–	–	1	1	1	–	–	–	–	–	3	–	3
47	–	–	–	–	–	–	1	–	–	–	–	1	–	1
48	–	–	–	–	–	–	–	–	–	1	–	1	–	1
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50+	1	2	–	–	–	–	–	–	–	1	–	4	–	4
NS	26	29	12	3	–	1	1	–	1	–	1	74	–	74
TOTAL	14984	13093	5835	1845	551	202	128	65	36	41	242	37022	229	37251

TABLE 3 – OUT-OF-WEDLOCK LIVE BIRTHS OCCURRING IN ALBERTA, AGE OF MOTHER BY BIRTH ORDER, 1982

AGE OF MOTHER (YEARS)	RESIDENTS BIRTH ORDER											TOTAL	NON-RESIDENTS	TOTAL
	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH	10TH+	NS		TOTAL	
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	3	–	–	–	–	–	–	–	–	–	–	3	–	3
14	25	1	–	–	–	–	–	–	–	–	1	27	–	27
15	112	6	–	–	–	–	–	–	–	–	3	121	–	121
16	279	14	1	–	–	–	–	–	–	–	2	296	3	299
17	478	49	–	–	–	–	–	–	–	–	10	537	6	543
18	573	97	12	1	1	–	–	–	–	–	11	695	10	705
19	546	156	30	3	–	–	–	–	–	–	6	741	8	749
20	429	158	34	8	2	–	–	–	–	–	11	642	7	649
21	332	173	59	15	1	–	–	–	–	–	6	586	4	590
22	283	152	67	12	4	1	–	–	–	–	5	524	3	527
23	223	167	62	19	9	1	–	–	–	–	6	487	5	492
24	181	100	85	27	4	1	1	–	–	–	7	406	3	409
25	161	127	58	37	12	2	–	–	–	–	2	399	1	400
26	128	95	51	24	9	4	2	–	–	–	4	317	2	319
27	127	74	52	25	6	5	1	–	2	–	1	293	1	294
28	106	60	30	17	7	6	5	5	1	–	2	239	2	241
29	95	50	29	20	9	4	3	1	–	–	2	213	4	217
30	108	41	34	14	5	4	4	2	–	–	2	214	3	217
31	87	20	25	20	7	4	3	–	–	1	4	171	1	172
32	71	32	14	12	5	4	5	1	–	–	2	146	4	150
33	65	21	20	11	6	5	2	1	–	1	4	136	2	138
34	39	18	9	5	4	2	1	1	–	1	2	82	–	82
35	35	14	9	7	5	3	2	–	2	1	–	78	2	80
36	33	7	1	2	1	4	3	1	–	2	2	56	1	57
37	16	5	6	8	5	–	–	–	–	1	–	41	1	42
38	18	4	3	4	2	2	–	–	–	1	2	36	1	37
39	15	3	1	2	3	–	2	–	1	–	1	28	–	28
40	4	1	1	4	–	–	–	3	3	1	–	17	–	17
41	4	2	2	–	–	2	1	–	–	1	–	12	–	12
42	2	–	–	–	1	–	–	–	1	–	–	4	–	4
43	2	1	1	1	–	–	–	–	1	1	–	7	–	7
44	1	1	–	–	–	–	–	–	–	–	–	2	1	3
45	–	1	–	–	–	–	–	–	–	–	–	1	–	1
46	–	–	–	1	–	–	–	–	–	–	–	1	–	1
47	1	1	1	–	–	–	–	–	–	–	–	3	–	3
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50+	1	–	–	–	–	–	–	–	–	–	–	1	–	1
NS	11	6	4	2	–	–	–	–	1	1	1	26	–	26
TOTAL	4594	1657	701	301	108	54	35	15	12	12	99	7588	75	7663

TABLE 4 – MULTIPLE LIVE BIRTHS OCCURRING IN ALBERTA, BY AGE OF MOTHER, 1982

AGE OF MOTHER (YEARS)	RESIDENTS					NON-RESIDENTS					TOTAL
	SINGLE	TWINS	TRIPLETS	NS	TOTAL	SINGLE	TWINS	TRIPLETS	NS	TOTAL	
10	–	–	–	–	–	–	–	–	–	–	–
11	–	–	–	–	–	–	–	–	–	–	–
12	–	–	–	–	–	–	–	–	–	–	–
13	3	–	–	–	3	–	–	–	–	–	3
14	28	–	–	–	28	–	–	–	–	–	28
15	135	2	–	–	137	–	–	–	–	–	137
16	357	–	–	1	358	4	–	–	–	4	362
17	738	2	–	–	740	6	–	–	–	6	746
18	1192	12	3	–	1207	17	–	–	–	17	1224
19	1687	27	–	1	1715	16	–	–	–	16	1731
20	2047	28	–	4	2079	16	–	–	–	16	2095
21	2568	36	–	1	2605	17	–	–	–	17	2622
22	3019	48	–	2	3069	20	–	–	–	20	3089
23	3241	69	3	3	3316	23	–	–	–	23	3339
24	3439	42	3	3	3487	26	2	–	–	28	3515
25	3484	79	–	–	3563	17	2	–	–	19	3582
26	3605	40	6	3	3654	24	–	–	–	24	3678
27	3258	68	–	2	3328	21	2	–	–	23	3351
28	2917	84	3	5	3009	16	–	–	–	16	3025
29	2647	54	–	3	2704	14	–	–	–	14	2718
30	2198	49	3	1	2251	8	–	–	–	8	2259
31	1797	39	–	4	1840	11	–	–	–	11	1851
32	1418	30	3	–	1451	13	–	–	–	13	1464
33	1060	22	3	–	1085	5	–	–	–	5	1090
34	838	19	–	–	857	2	1	–	–	3	860
35	669	10	3	–	682	5	–	–	–	5	687
36	425	5	–	–	430	4	–	–	–	4	434
37	297	10	–	–	307	2	–	–	–	2	309
38	210	8	–	–	218	3	–	–	–	3	221
39	120	5	–	–	125	–	–	–	–	–	125
40	100	2	–	–	102	2	–	–	–	2	104
41	60	–	–	–	60	2	–	–	–	2	62
42	36	–	–	–	36	1	–	–	–	1	37
43	30	4	–	–	34	1	–	–	–	1	35
44	12	–	–	–	12	1	–	–	–	1	13
45	4	–	–	–	4	–	–	–	–	–	4
46	4	–	–	–	4	–	–	–	–	–	4
47	4	–	–	–	4	–	–	–	–	–	4
48	1	–	–	–	1	–	–	–	–	–	1
49	–	–	–	–	–	–	–	–	–	–	–
50+	5	–	–	–	5	–	–	–	–	–	5
NS	100	–	–	–	100	–	–	–	–	–	100
TOTAL	43753	794	30	33	44610	297	7	–	–	304	44914

THESE COUNTS REPRESENT NUMBERS OF ACTUAL LIVE BIRTHS AND NOT PREGNANCIES; STILLBIRTHS ARE NOT INCLUDED IN THESE COUNTS.

TABLE 5 – MALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY AGE OF MOTHER, 1982

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																		
	13 OR LESS	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
500 OR <	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
501– 750	–	–	3	–	–	–	2	3	–	4	3	3	2	1	–	1	3	2	1
751–1000	–	–	–	–	1	3	4	3	–	3	5	2	–	3	3	3	–	2	5
1001–1250	–	–	–	1	1	1	2	7	1	3	2	2	5	3	2	2	1	2	2
1251–1500	–	–	–	1	2	4	5	4	3	4	7	6	8	7	5	5	4	1	4
1501–1750	–	–	–	–	3	3	8	4	1	8	9	7	10	6	6	5	9	5	1
1751–2000	–	1	–	3	–	8	6	4	11	13	10	17	9	12	9	16	8	7	5
2001–2250	–	–	–	4	6	9	7	15	20	25	28	27	16	25	12	16	13	14	12
2251–2500	–	1	4	1	9	18	25	26	43	29	43	28	31	36	49	24	30	26	21
2501–2750	–	1	4	11	21	39	47	49	84	82	92	82	89	62	78	83	46	45	46
2751–3000	–	2	5	10	36	60	111	113	147	168	152	188	187	155	163	155	141	115	84
3001–3250	–	–	13	33	74	121	134	179	232	273	309	292	275	284	279	216	206	176	135
3251–3500	2	1	13	35	78	94	187	217	293	288	342	341	384	357	304	309	276	211	167
3501–3750	–	2	12	38	87	130	148	194	215	302	299	315	333	383	311	268	279	217	155
3751–4000	–	–	11	22	48	70	99	123	185	212	196	242	253	240	246	222	174	178	132
4001–4250	–	3	4	9	18	38	55	68	79	97	82	136	144	150	128	149	106	91	80
4251–4500	–	–	2	5	14	18	20	22	32	46	61	46	71	60	65	61	47	43	33
4501–4750	–	1	–	2	2	12	12	10	12	17	23	23	16	17	20	20	20	19	19
4751–5000	–	1	–	1	–	1	3	3	7	9	7	9	8	9	3	11	9	3	4
5001–5250	–	–	–	–	–	–	–	–	–	–	3	–	1	3	1	3	2	2	2
5251–5500	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
5501–5750	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
5751–6000	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
6001–6250	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
6251–6500	–	–	–	–	–		–	–	–	1	–	–	–	–	–	–	–	–	–
6501 +	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NS	–	–	–	–	–	1	2	4	4	1	4	5	3	2	2	2	2	2	1
TOTAL	2	13	71	176	400	630	877	1048	1370	1585	1677	1773	1847	1817	1688	1571	1377	1162	909

TABLE 5 – MALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY AGE OF MOTHER, 1982

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																				TOTAL	NON RES. TOTAL	TOTAL
	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50+	NS			
500 OR <	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2
501– 750	2	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	37	–	37
751–1000	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40	3	43
1001–1250	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	40	1	41
1251–1500	2	2	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	79	3	82
1501–1750	4	6	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	100	1	101
1751–2000	7	3	5	3	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	161	4	165
2001–2250	5	8	8	4	4	2	2	–	2	–	–	–	1	–	–	–	–	–	–	–	285	2	287
2251–2500	11	9	10	7	2	3	4	2	–	1	1	–	–	1	–	–	–	–	–	1	496	7	503
2501–2750	36	28	23	11	6	6	6	5	4	–	–	–	1	–	–	1	–	–	–	3	1093	10	1103
2751–3000	60	48	41	37	16	17	13	3	6	1	4	–	–	–	–	1	–	–	–	7	2246	13	2259
3001–3250	122	69	56	55	31	17	7	8	2	6	3	3	–	–	2	–	–	–	–	10	3622	21	3643
3251–3500	147	105	75	65	51	35	26	11	8	3	3	2	–	1	–	–	–	–	–	13	4444	34	4478
3501–3750	129	94	68	81	49	19	13	14	8	7	1	4	1	–	–	–	–	–	3	11	4190	19	4209
3751–4000	106	84	62	47	28	17	17	5	6	2	2	3	1	1	–	–	–	–	–	2	3036	12	3048
4001–4250	86	45	37	29	18	12	15	4	5	1	3	1	–	1	–	2	–	–	–	2	1698	8	1706
4251–4500	22	17	16	10	10	9	4	2	4	–	1	–	–	–	–	–	–	–	–	–	741	6	747
4501–4750	13	5	12	5	2	2	5	2	2	–	1	–	1	–	–	–	–	–	–	–	295	2	297
4751–5000	4	4	3	3	2	2	1	–	1	1	–	1	–	–	–	–	–	–	–	–	110	–	110
5001–5250	2	–	3	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28	–	28
5251–5500	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	8
5501–5750	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	4
5751–6000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2
6001–6250	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2
6251–6500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
6501 +	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NS	2	3	2	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	46	1	47
TOTAL	761	538	426	365	221	146	117	58	49	23	19	16	5	4	2	4	–	–	3	56	22806	147	22953

TABLE 6 – FEMALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY AGE OF MOTHER, 1982

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																	
	13 OR LESS	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
500 OR <	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
501– 750	–	–	–	2	1	6	1	3	2	2	6	2	1	1	2	4	–	1	2
751–1000	–	–	1	2	–	1	6	1	2	3	4	4	–	2	4	4	1	3	3
1001–1250	–	–	–	–	3	2	2	2	2	3	–	7	–	5	2	8	3	1	3
1251–1500	–	–	–	1	2	3	2	3	5	5	3	4	7	6	2	4	5	5	4
1501–1750	–	–	–	1	4	–	1	7	6	6	6	10	8	6	6	3	4	5	9
1751–2000	–	–	2	4	4	1	1	11	4	11	16	11	12	15	4	11	5	8	7
2001–2250	–	–	2	–	3	9	14	16	23	29	24	21	29	18	20	22	24	19	14
2251–2500	–	1	2	8	15	23	33	27	38	56	54	56	60	46	55	40	31	39	25
2501–2750	–	2	4	10	25	39	49	95	94	101	120	113	106	129	100	97	69	68	55
2751–3000	1	2	10	16	45	95	122	147	204	229	225	242	226	242	242	180	182	125	103
3001–3250	–	2	15	36	80	105	180	215	264	301	335	325	356	358	329	296	245	200	188
3251–3500	–	1	6	47	64	108	173	202	242	302	343	360	358	385	338	284	278	228	197
3501–3750	–	4	10	28	56	93	136	162	161	227	254	285	289	315	265	230	222	185	154
3751–4000	–	2	8	15	23	57	60	80	114	126	155	160	146	196	155	146	134	122	91
4001–4250	–	1	6	6	10	22	34	31	49	53	59	79	77	74	69	65	72	46	46
4251–4500	–	–	–	4	3	7	15	20	12	19	21	17	23	25	30	34	35	22	22
4501–4750	–	–	–	1	1	3	4	3	7	7	9	13	12	13	8	8	7	8	5
4751–5000	–	–	–	–	1	–	1	2	–	2	3	3	2	–	3	1	5	2	2
5001–5250	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2	–	1	–	1
5251–5500	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–
5501–5750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5751–6000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
6001–6250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6251–6500	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
6501 +	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NS	–	–	–	1	–	1	3	3	6	1	2	1	3	1	3	1	3	–	–
TOTAL	1	15	66	182	340	577	838	1031	1235	1483	1638	1714	1716	1837	1640	1438	1327	1088	931

TABLE 6 – FEMALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY AGE OF MOTHER, 1982

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																				TOTAL	NON RES.	TOTAL
	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50+	NS		TOTAL	
500 OR <	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
501– 750	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	40	–	40
751–1000	1	2	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	47	2	49
1001–1250	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	47	3	50
1251–1500	4	1	1	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	71	1	72
1501–1750	3	4	4	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	97	1	98
1751–2000	6	7	2	4	–	1	2	–	3	1	–	–	–	–	–	–	–	–	–	1	154	4	158
2001–2250	7	9	8	1	1	2	2	–	–	2	–	–	–	–	–	–	–	–	–	1	320	3	323
2251–2500	19	13	11	9	6	4	2	6	2	–	–	1	–	–	–	–	–	–	–	3	685	5	690
2501–2750	43	24	25	21	18	8	5	5	3	5	2	1	–	–	–	–	–	–	1	4	1441	11	1452
2751–3000	75	72	53	39	23	18	5	2	5	6	1	2	–	–	1	–	–	–	–	4	2944	17	2961
3001–3250	133	108	94	59	35	24	19	9	7	6	2	3	1	–	–	–	–	–	–	9	4339	23	4362
3251–3500	155	109	79	80	50	28	21	10	21	6	5	3	2	–	–	–	–	–	1	13	4499	32	4531
3501–3750	114	91	65	44	32	33	19	12	4	6	4	3	2	–	1	–	–	–	–	–	3506	23	3529
3751–4000	80	67	43	29	18	18	7	13	3	2	–	5	–	–	–	–	–	–	–	6	2081	19	2100
4001–4250	27	28	28	15	16	12	8	4	4	–	–	–	1	–	–	–	–	–	–	2	944	6	950
4251–4500	13	8	10	12	5	4	8	1	1	2	–	–	1	–	–	–	–	–	–	–	374	3	377
4501–4750	5	3	3	1	–	5	–	1	–	–	2	–	–	–	–	–	–	–	–	–	129	3	132
4751–5000	–	–	3	1	3	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	38	1	39
5001–5250	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	8	–	8
5251–5500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3
5501–5750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5751–6000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
6001–6250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6251–6500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2
6501 +	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NS	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30	–	30
TOTAL	690	547	431	317	209	161	101	67	53	37	17	18	7	–	2	–	1	–	2	44	21801	157	21958

TABLE 7 – MALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY GESTATION PERIOD, 1982

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS) 16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
500 OR <	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
501– 750	–	–	–	–	1	2	3	5	10	5	4	1	2	1	1	–
751–1000	–	–	–	–	–	–	2	–	4	5	15	3	2	3	1	–
1001–1250	–	–	–	–	–	–	–	–	–	–	2	7	8	8	5	4
1251–1500	–	–	–	–	–	–	–	–	–	–	1	3	3	9	16	16
1501–1750	–	–	–	–	–	–	–	–	–	–	–	–	1	4	14	17
1751–2000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	19
2001–2250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
2251–2500	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
2501–2750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
2751–3000	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2
3001–3250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
3251–3500	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
3501–3750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
3751–4000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
4001–4250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4251–4500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4501–4750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4751–5000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5001–5250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5251–5500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5501–5750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5751–6000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6001–6250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6251–6500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6501 +	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NS	–	–	2	–	2	–	1	1	–	3	–	1	1	–	–	–
TOTAL	–	–	2	–	4	2	8	6	14	13	23	15	17	26	51	60
NON-RES	–	–	–	–	–	–	1	–	–	–	3	2	–	–	1	3
TOTAL	–	–	2	–	4	2	9	6	14	13	26	17	17	26	52	63

TABLE 7 – MALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY GESTATION PERIOD, 1982

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS)														TOTAL
	32	33	34	35	36	37	38	39	40	41	42	43	44+	NS	
500 OR <	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
501– 750	–	–	–	–	1	–	–	1	–	–	–	–	–	–	37
751–1000	–	1	–	–	–	1	1	–	2	–	–	–	–	–	40
1001–1250	3	–	–	–	1	–	1	–	–	1	–	–	–	–	40
1251–1500	8	10	4	5	1	1	–	1	1	–	–	–	–	–	79
1501–1750	21	11	10	7	4	4	2	3	1	–	–	–	–	1	100
1751–2000	28	22	24	16	10	9	14	4	7	1	1	–	–	–	161
2001–2250	18	19	46	26	54	32	31	20	21	7	7	1	–	1	285
2251–2500	11	14	49	53	105	58	67	53	64	13	6	–	–	2	496
2501–2750	10	7	26	72	151	147	219	152	241	46	17	2	1	1	1093
2751–3000	2	7	12	38	148	231	433	447	698	161	51	6	3	6	2246
3001–3250	1	–	8	18	105	236	579	748	1396	361	136	17	5	9	3622
3251–3500	4	3	7	14	86	161	555	827	2014	497	239	21	3	12	4444
3501–3750	–	–	4	14	38	86	357	698	2036	638	276	23	5	12	4190
3751–4000	–	–	1	4	13	47	201	447	1528	518	234	28	9	5	3036
4001–4250	–	–	2	2	13	13	90	184	877	324	166	16	4	7	1698
4251–4500	–	–	–	1	4	6	18	74	376	153	92	13	3	1	741
4501–4750	–	–	–	–	3	2	8	27	126	81	42	3	2	1	295
4751–5000	–	–	–	1	–	–	4	7	50	30	15	3	–	–	110
5001–5250	–	–	–	1	–	–	2	5	10	4	6	–	–	–	28
5251–5500	–	–	–	–	–	–	1	–	4	1	2	–	–	–	8
5501–5750	–	–	–	–	–	–	–	–	1	1	2	–	–	–	4
5751–6000	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2
6001–6250	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2
6251–6500	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
6501 +	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NS	1	–	–	–	2	1	4	4	14	2	4	–	–	3	46
TOTAL	107	94	193	272	739	1035	2587	3703	9469	2841	1296	133	35	61	22806
NON-RES	2	5	2	4	7	6	13	23	52	11	10	–	1	1	147
TOTAL	109	99	195	276	746	1041	2600	3726	9521	2852	1306	133	36	62	22953

TABLE 8 – FEMALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY GESTATION PERIOD, 1982

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS)															
	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
500 OR <	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
501– 750	–	–	–	–	2	1	3	4	11	8	4	1	1	–	1	1
751–1000	–	–	–	–	–	–	–	–	3	4	8	10	8	4	4	3
1001–1250	–	–	–	–	1	–	–	–	–	–	3	5	13	8	4	4
1251–1500	–	–	–	–	–	–	–	–	–	1	1	–	4	10	11	10
1501–1750	–	–	–	–	–	–	–	–	–	–	–	1	1	–	10	14
1751–2000	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7	3
2001–2250	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2
2251–2500	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
2501–2750	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–
2751–3000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
3001–3250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3251–3500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
3501–3750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3751–4000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
4001–4250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4251–4500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4501–4750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4751–5000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5001–5250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5251–5500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5501–5750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5751–6000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6001–6250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6251–6500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6501 +	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
NS	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
TOTAL	–	–	–	–	4	2	3	4	15	13	19	17	27	24	46	40
NON-RES	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2
TOTAL	–	–	–	–	4	2	3	4	15	13	19	17	30	24	46	42

TABLE 8 – FEMALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY GESTATION PERIOD, 1982

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS)														TOTAL
	32	33	34	35	36	37	38	39	40	41	42	43	44+	NS	
500 OR <	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
501- 750	1	1	–	–	–	–	–	–	–	1	–	–	–	–	40
751–1000	2	–	–	–	–	–	–	–	1	–	–	–	–	–	47
1001–1250	3	2	1	–	2	–	–	–	1	–	–	–	–	–	47
1251–1500	13	5	5	3	1	1	2	1	2	–	1	–	–	–	71
1501–1750	23	8	10	8	8	4	4	1	3	–	1	–	–	1	97
1751–2000	18	18	21	23	17	14	11	5	13	1	1	–	–	1	154
2001–2250	10	14	28	49	51	38	37	28	42	15	3	1	–	–	320
2251–2500	5	7	32	51	103	98	124	91	130	26	13	1	1	1	685
2501–2750	5	3	16	33	134	171	286	252	425	75	29	6	–	2	1441
2751–3000	1	5	12	26	127	236	488	576	1093	253	105	5	2	12	2944
3001–3250	2	2	5	13	78	184	565	843	1938	467	202	16	1	23	4339
3251–3500	1	2	6	8	57	117	462	779	2201	583	234	30	4	13	4499
3501–3750	–	–	2	5	35	66	246	525	1746	567	264	30	4	16	3506
3751–4000	–	1	2	2	19	25	117	273	1017	375	203	31	6	8	2081
4001–4250	–	–	–	–	8	15	51	108	460	200	84	11	4	3	944
4251–4500	–	–	–	–	2	3	9	34	178	96	42	7	2	1	374
4501–4750	–	–	–	–	–	1	3	6	63	32	18	3	1	2	129
4751–5000	–	–	–	–	–	1	–	2	23	8	3	1	–	–	38
5001–5250	–	–	–	–	–	–	–	1	2	4	1	–	–	–	8
5251–5500	–	–	–	–	–	–	–	–	2	1	–	–	–	–	3
5501–5750	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5751–6000	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
6001–6250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6251–6500	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2
6501 +	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NS	–	–	–	1	–	2	2	4	12	2	4	–	–	–	30
TOTAL	84	68	140	222	642	976	2407	3529	9354	2707	1208	142	25	83	21801
NON-RES	3	2	3	2	8	7	20	30	44	27	4	2	–	–	157
TOTAL	87	70	143	224	650	983	2427	3559	9398	2734	1212	144	25	83	21958

TABLE 9 – MARRIAGES OCCURRING IN ALBERTA, AGE OF BRIDEGROOM BY AGE OF BRIDE, 1982

AGE OF BRIDEGROOM (YEARS)	AGE OF BRIDE (YEARS)															TOTAL
	<15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75+	NS	
<15	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2
15–19	1	653	179	16	3	3	–	–	–	–	–	–	–	–	–	855
20–24	–	2371	5343	698	107	14	6	–	–	–	–	–	–	–	2	8541
25–29	–	466	3297	2271	491	81	16	1	–	–	–	–	–	–	1	6624
30–34	–	92	751	1165	636	170	27	6	1	3	2	–	–	–	–	2853
35–39	–	27	200	417	412	230	83	24	4	1	–	–	–	–	–	1398
40–44	–	8	43	137	161	155	113	38	19	5	–	–	–	–	–	679
45–49	–	1	15	35	73	104	108	64	34	11	4	–	–	1	–	450
50–54	–	1	6	12	29	41	68	90	52	25	7	1	–	–	–	332
55–59	–	1	–	4	9	18	20	49	42	36	12	2	1	1	–	195
60–64	–	–	–	–	–	6	8	22	33	33	30	9	2	1	–	144
65–69	–	–	–	1	1	1	3	2	8	25	24	22	9	5	–	101
70–74	–	–	–	2	–	–	1	–	2	4	12	24	15	4	–	64
75+	–	–	2	–	–	–	–	–	1	3	4	16	15	17	1	59
NS	–	–	2	–	–	–	1	–	1	–	–	–	–	3	29	36
TOTAL	1	3621	9839	4758	1922	823	454	296	197	146	95	74	42	32	33	22333

TABLE 9A – MARRIAGES OCCURRING IN ALBERTA, FIRST MARRIAGE FOR BRIDE AND BRIDEGROOM, AGE OF BRIDEGROOM BY AGE OF BRIDE, 1982

AGE OF BRIDEGROOM (YEARS)	AGE OF BRIDE (YEARS)															TOTAL
	<15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75+	NS	
<15	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2
15–19	1	651	173	10	1	–	–	–	–	–	–	–	–	–	–	836
20–24	–	2326	5086	507	34	3	1	–	–	–	–	–	–	–	2	7959
25–29	–	395	2720	1500	178	17	1	–	–	–	–	–	–	–	–	4811
30–34	–	54	417	542	199	30	4	2	–	1	–	–	–	–	–	1249
35–39	–	13	59	105	89	18	5	1	–	–	–	–	–	–	–	290
40–44	–	4	12	28	11	11	2	–	–	–	–	–	–	–	–	68
45–49	–	1	5	8	9	4	5	3	2	–	–	–	–	–	–	37
50–54	–	–	1	2	4	3	4	1	–	1	–	–	–	–	–	16
55–59	–	1	–	1	–	1	1	1	3	1	1	–	–	–	–	10
60–64	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	4
65–69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
70–74	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	3
75+	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2
NS	–	–	2	–	–	–	–	–	–	–	–	–	–	2	26	30
TOTAL	1	3446	8478	2704	525	87	24	8	7	4	1	2	–	2	28	15317

TABLE 10 – MARRIAGES OCCURRING IN ALBERTA, MARITAL STATUS OF BRIDEGROOM BY MARITAL STATUS OF BRIDE, 1982

MARITAL STATUS OF BRIDEGROOM	MARITAL STATUS OF BRIDE				TOTAL
	SINGLE	WIDOWED	DIVORCED	NS	
SINGLE	15317	133	1919	4	17373
WIDOWED	72	219	179	–	470
DIVORCED	2085	198	2203	1	4487
NS	–	1	–	2	3
TOTAL	17474	551	4301	7	22333

TABLE 11 – DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1982

ICD – 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90+	NS	NON RES TOTAL	GRAND TOTAL
2. OTHER INTESTINAL INFECTIONS	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
	T	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2
TUBERCULOSIS																							
3. TB OF RESPIRATORY SYSTEM	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	4
	F	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–	1	–	–	–	1	6
	T	–	–	–	–	–	–	–	1	–	–	–	1	2	–	4	–	1	–	–	–	1	10
4. OTHER TUBERCULOSIS	M	–	–	–	–	1	–	–	–	–	–	–	3	2	10	11	9	10	4	4	–	–	54
	F	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	1	–	–	–	5
	T	–	–	–	–	1	–	–	–	–	1	–	5	2	10	11	10	10	5	4	–	–	59
SUB-TOTAL (3-4)	M	–	–	–	–	1	–	–	–	–	–	–	3	4	10	13	9	10	4	4	–	–	58
	F	–	–	–	–	–	–	–	1	–	1	–	3	–	–	2	1	1	1	–	–	1	11
	T	–	–	–	–	1	–	–	1	–	1	–	6	4	10	15	10	11	5	4	–	1	69
6. STREP SORE THROAT, SCARLATINA	M	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	3
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	T	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	3
8. SEPTICEMIA	M	–	–	–	–	–	–	–	1	1	–	1	–	–	2	–	1	–	1	–	–	–	7
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	2	–	–	7
	T	–	–	–	–	–	–	–	1	1	–	1	–	1	2	1	3	1	1	2	–	–	14
9. ACUTE POLIOMYELITIS	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	T	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
11. VIRAL HEPATITIS	M	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	T	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
13. ALL OTH INFEC. & PARAS. DISEASES	M	1	–	–	–	1	–	–	1	1	1	1	2	–	–	–	–	1	1	1	–	–	11
	F	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3
	T	1	–	–	–	1	–	1	1	1	1	1	2	–	–	–	–	2	1	1	–	1	14
MALIGNANT NEOPLASMS																							
14. LIP, ORAL CAVITY & PHARYNX	M	–	–	–	–	–	–	–	1	1	5	3	5	6	5	3	2	1	1	–	–	2	35
	F	–	1	–	–	–	–	–	1	–	–	1	6	–	1	1	3	1	1	1	–	2	19
	T	–	1	–	–	–	–	–	2	1	5	4	11	6	6	4	5	2	2	1	–	4	54
15. DIGESTIVE ORGANS, PERITONEUM	M	–	–	–	–	1	1	1	1	11	14	27	52	52	64	78	61	60	31	17	–	8	479
	F	–	–	–	–	1	1	1	5	4	8	18	22	26	42	53	65	44	24	24	–	2	340
	T	–	–	–	–	2	2	2	6	15	22	45	74	78	106	131	126	104	55	41	–	10	819
16. RESPIRATORY & INTRATHORACIC	M	–	–	–	–	–	–	1	–	4	18	33	42	77	110	88	67	31	19	12	–	11	513
	F	–	–	–	–	–	–	1	1	6	14	8	13	25	21	18	14	10	6	1	–	4	142
	T	–	–	–	–	–	–	2	1	10	32	41	55	102	131	106	81	41	25	13	–	15	655
17. BREAST	M	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	3
	F	–	–	–	–	–	4	3	11	9	14	19	25	32	36	18	18	13	12	6	–	4	224
	T	–	–	–	–	–	4	3	11	9	14	19	26	32	36	18	19	14	12	6	–	4	227

TABLE 11 – DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1982

I C D – 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90+	NS	NON RES TOTAL	GRAND TOTAL
18. GENITAL ORGANS	M	–	–	–	–	2	–	–	–	1	–	–	5	5	14	18	28	13	15	9	–	4	114
	F	–	–	–	1	1	4	1	7	5	4	9	16	14	17	18	12	13	4	3	–	1	130
	T	–	–	–	1	3	4	1	7	6	4	9	21	19	31	36	40	26	19	12	–	5	244
19. URINARY ORGANS	M	–	1	–	–	–	–	–	–	2	4	2	7	9	18	16	14	13	7	5	–	1	99
	F	–	–	–	–	–	1	–	1	2	2	3	3	8	2	7	6	7	1	2	–	1	46
	T	–	1	–	–	–	1	–	1	4	6	5	10	17	20	23	20	20	8	7	–	2	145
20. OTHER UNSPECIFIED SITES	M	3	5	4	3	–	4	5	3	6	6	12	18	24	22	22	15	10	12	4	–	1	179
	F	2	2	2	3	3	3	5	5	4	5	11	18	12	21	20	17	14	9	10	–	–	164
	T	5	7	6	6	3	7	10	8	10	11	23	34	36	43	42	32	24	21	14	–	1	343
21. LEUKAEMIA	M	2	2	–	3	3	3	1	3	2	4	7	9	5	8	4	14	7	5	6	–	2	90
	F	1	2	3	2	1	–	–	1	1	3	1	3	3	9	6	6	5	6	1	–	1	55
	T	3	4	3	5	4	3	1	4	3	7	8	12	8	17	10	20	12	11	7	–	3	145
22. OTH LYMPHATIC & HEMATOPOTETIC	M	–	–	1	1	2	1	2	2	4	3	8	14	9	13	13	13	6	5	–	–	1	98
	F	–	1	–	2	–	–	2	–	2	2	1	4	13	10	16	11	8	8	3	–	–	83
	T	–	1	1	3	2	1	4	2	6	5	9	18	22	23	29	24	14	13	3	–	1	181
SUB-TOTAL (14-22)	M	5	8	5	7	8	9	10	10	31	54	92	153	187	254	242	215	142	95	53	–	30	1610
	F	3	6	5	8	6	13	13	32	33	52	71	108	133	159	157	152	115	71	51	–	15	1203
	T	8	14	10	15	14	22	23	42	64	106	163	261	320	413	399	367	257	166	104	–	45	2813
23. BENIGN NEOPLASMS & OTHER	M	1	1	1	1	–	–	–	–	–	–	–	2	5	2	2	3	5	1	1	–	2	27
	F	–	1	–	–	–	–	–	–	–	–	1	1	3	3	1	3	2	2	1	–	1	19
	T	1	2	1	1	–	–	–	–	–	–	1	3	8	5	3	6	7	3	2	–	3	46
24. DIABETES MELLITUS	M	–	–	–	1	–	1	1	4	3	4	5	1	6	12	11	20	23	11	11	–	1	115
	F	–	–	–	–	–	1	–	–	1	3	1	3	6	7	15	26	25	21	15	–	1	125
	T	–	–	–	1	–	2	1	4	4	7	6	4	12	19	26	46	48	32	26	–	2	240
25. NUTRITIONAL DEFICIENCIES	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	4	–	–	6
	T	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	5	–	–	8
26. ANAEMIAS	M	1	1	–	1	–	–	–	–	–	–	–	2	–	1	–	1	4	4	2	–	–	17
	F	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	4	2	2	–	–	16
	T	1	1	–	1	–	–	–	–	–	–	–	3	–	3	1	5	8	6	4	–	–	33
27. MENINGITIS	M	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	8
	F	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
	T	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	1	9
DISEASES OF HEART																							
28. RHEUMATIC FEVER & HEART	M	1	–	–	1	1	2	–	–	1	–	4	4	4	5	2	2	–	1	–	–	2	30
	F	–	–	–	–	–	–	2	–	1	–	5	5	12	9	6	7	4	1	4	–	–	56
	T	1	–	–	1	1	2	2	–	2	–	9	9	16	14	8	9	4	2	4	–	2	86
29. HYPERTENSIVE HEART DISEASE	M	–	–	–	–	–	–	–	–	–	1	1	2	1	1	2	5	2	2	1	–	1	19
	F	–	–	–	–	–	–	–	–	–	–	–	2	2	1	4	9	5	9	2	–	–	34
	T	–	–	–	–	–	–	–	–	–	1	1	4	3	2	6	14	7	11	3	–	1	53
30. HYPERTENSIVE HEART & RENAL	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	4
	T	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	5

TABLE 11 – DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1982

I C D – 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90+	NS	NON RES TOTAL	GRAND TOTAL
31. ACUTE MYOCARDIAL INFARCTION	M	1	–	–	1	1	2	2	15	22	37	78	94	119	154	213	173	127	72	65	–	44	1220
	F	1	–	–	1	–	1	3	1	4	7	18	32	32	63	91	106	127	86	56	–	16	645
	T	2	–	–	2	1	3	5	16	26	44	96	126	151	217	304	279	254	158	121	–	60	1865
32. OTH ACUTE & SUBACUTE ISCHAEMIC	M	–	–	–	–	–	–	–	–	–	–	5	1	3	4	1	1	1	2	1	–	4	23
	F	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	6	2	2	–	1	16
	T	–	–	–	–	–	–	–	–	–	1	5	1	3	4	3	3	7	4	3	–	5	39
33. ANGINA PECTORIS	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	4
	T	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	1	–	–	5
35. OTH DISEASES OF ENDOCARDIUM	M	–	–	–	–	–	–	–	1	2	1	1	3	2	5	3	7	2	2	5	–	1	35
	F	–	–	–	–	–	–	1	1	–	–	1	–	2	3	5	5	6	3	1	–	–	28
	T	–	–	–	–	–	–	1	2	2	1	2	3	4	8	8	12	8	5	6	–	1	63
36. ALL OTH FORMS OF HEART DIS	M	1	–	–	1	1	4	2	5	5	6	14	20	28	32	44	63	58	47	43	–	5	379
	F	3	–	–	–	2	4	1	4	1	3	9	4	13	24	33	29	45	48	56	–	8	287
	T	4	–	–	1	3	8	3	9	6	9	23	24	41	56	77	92	103	95	99	–	13	666
SUB-TOTAL (28-36)	M	3	–	–	3	3	8	4	21	30	45	103	124	157	201	266	252	190	126	115	–	57	1708
	F	4	–	–	1	2	5	7	6	6	11	33	43	63	100	141	160	195	149	123	–	25	1074
	T	7	–	–	4	5	13	11	27	36	56	136	167	220	301	407	412	385	275	238	–	82	2782
37. HYPERTENSION W/WO RENAL DIS	M	–	–	–	–	–	–	–	1	2	–	–	2	2	1	3	4	3	2	3	–	–	23
	F	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	3	2	4	3	–	–	15
	T	–	–	–	–	–	–	–	1	2	1	–	3	2	1	4	7	5	6	6	–	–	38
CEREBROVASCULAR DISEASES																							
38. CRANIAL HEMORRHAGE	M	–	–	–	–	1	–	–	2	–	–	5	4	8	3	4	6	12	2	2	–	4	53
	F	–	–	–	–	1	1	–	–	–	–	5	1	5	7	5	7	7	4	5	–	2	50
	T	–	–	–	–	2	1	–	2	–	–	10	5	13	10	9	13	19	6	7	–	6	103
39. THROMBOSIS & UNSPEC OCCLUSION	M	–	–	–	–	–	–	–	–	–	–	2	1	7	7	7	23	9	14	13	–	5	88
	F	1	–	–	–	–	–	1	–	–	–	–	3	4	4	13	13	21	24	23	–	1	108
	T	1	–	–	–	–	–	1	–	–	–	2	4	11	11	20	36	30	38	36	–	6	196
40. CEREBRAL EMBOLISM	M	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	2	–	–	–	–	5
	F	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	4
	T	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–	3	–	1	–	–	9
41. ALL OTHER & LATE EFFECTS	M	–	–	1	–	2	–	1	2	2	1	3	6	9	16	29	42	36	30	30	–	5	215
	F	–	–	–	–	–	2	–	4	4	4	4	5	8	11	25	33	56	60	67	–	2	285
	T	–	–	1	–	2	2	1	6	6	5	7	11	17	27	54	75	92	90	97	–	7	500
SUB-TOTAL (38-41)	M	–	–	1	–	3	–	1	4	3	1	10	11	24	26	42	71	59	46	45	–	14	361
	F	1	–	–	–	1	3	1	4	4	4	10	10	17	22	43	53	85	88	96	–	5	447
	T	1	–	1	–	4	3	2	8	7	5	20	21	41	48	85	124	144	134	141	–	19	808
42. ATHEROSCLEROSIS	M	–	–	–	–	–	–	–	–	1	–	–	1	3	3	4	17	21	15	28	–	–	93
	F	–	–	–	–	–	–	–	–	–	–	–	1	–	3	5	6	15	25	57	–	–	112
	T	–	–	–	–	–	–	–	–	1	–	–	2	3	6	9	23	36	40	85	–	–	205
43. OTH DIS-ARTERIES, ART. & CAPILL.	M	–	–	–	–	–	–	2	–	–	1	5	6	9	24	15	28	19	12	8	–	8	137
	F	–	–	–	–	–	2	–	1	3	1	5	2	5	3	2	8	6	9	7	–	–	54
	T	–	–	–	–	–	2	2	1	3	2	10	8	14	27	17	36	25	21	15	–	8	191

TABLE 11 – DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1982

I C D – 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90+	NS	NON RES TOTAL	GRAND TOTAL
44. AC BRONCHITIS & BRONCHIOLITIS	M	3	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	–	–	–	10
	F	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3
	T	5	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	–	–	1	13
PNEUMONIA AND INFLUENZA																							
45. PNEUMONIA	M	5	1	–	–	–	1	–	1	3	7	4	6	14	14	21	32	46	45	33	–	5	238
	F	5	–	–	–	–	–	1	3	3	–	2	3	6	6	13	11	27	37	54	–	1	172
	T	10	1	–	–	–	1	1	4	6	7	6	9	20	20	34	43	73	82	87	–	6	410
46. INFLUENZA	M	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	5	–	1	15
	F	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	3	–	–	–	9
	T	2	–	1	–	–	–	–	–	1	–	–	–	1	1	1	3	4	4	5	–	1	24
SUB-TOTAL (45-46)	M	7	1	1	–	–	1	–	1	3	7	4	6	14	14	21	34	49	46	38	–	6	253
	F	5	–	–	–	–	–	1	3	4	–	2	3	7	7	14	12	28	40	54	–	1	181
	T	12	1	1	–	–	1	1	4	7	7	6	9	21	21	35	46	77	86	92	–	7	434
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS																							
47. BRONCHITIS, CHRONIC & UNSPEC	M	–	–	–	–	–	–	–	–	1	–	–	1	2	2	3	8	4	3	4	–	–	28
	F	3	–	–	1	–	–	–	–	–	1	–	1	1	2	1	3	4	1	3	–	–	21
	T	3	–	–	1	–	–	–	–	1	1	–	2	3	4	4	11	8	4	7	–	–	49
48. EMPHYSEMA	M	–	–	–	–	–	–	–	–	1	1	3	3	8	14	17	11	11	3	2	–	1	75
	F	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	4	3	1	–	–	–	16
	T	–	–	–	–	–	–	–	–	1	1	4	4	10	16	19	15	14	4	2	–	1	91
49. ASTHMA	M	–	–	–	3	2	3	–	–	–	2	1	1	5	4	4	5	2	1	2	–	–	35
	F	–	–	–	–	–	–	2	1	2	–	1	1	–	3	3	5	4	–	–	–	1	23
	T	–	–	–	3	2	3	2	1	2	2	2	2	5	7	7	10	6	1	2	–	1	58
50. OTHER	M	1	–	–	2	–	–	–	–	1	2	3	5	15	19	32	39	37	21	9	–	4	190
	F	–	–	–	–	–	–	–	–	–	–	–	5	3	4	13	11	4	7	4	–	4	55
	T	1	–	–	2	–	–	–	–	1	2	3	10	18	23	45	50	41	28	13	–	8	245
SUB-TOTAL (47-50)	M	1	–	–	5	2	3	–	–	3	5	7	10	30	39	56	63	54	28	17	–	5	328
	F	3	–	–	1	–	–	2	1	2	1	2	8	6	11	19	23	15	9	7	–	5	115
	T	4	–	–	6	2	3	2	1	5	6	9	18	36	50	75	86	69	37	24	–	10	443
51. ULCER OF STOMACH & DUODENUM	M	–	–	–	–	–	–	–	–	1	3	2	–	5	3	3	4	6	3	4	–	2	36
	F	–	–	–	–	–	–	–	–	1	–	1	1	2	3	2	3	5	4	2	–	2	26
	T	–	–	–	–	–	–	–	–	2	3	3	1	7	6	5	7	11	7	6	–	4	62
52. APPENDICITIS	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	2
	T	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	2
53. INTEST. OBSTR. & ABD. HERNIA	M	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	1	2	2	2	–	1	14
	F	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	4	2	7	–	–	21
	T	–	–	–	–	–	–	–	1	–	–	–	2	2	4	3	3	6	4	9	–	1	35
54. CHRONIC LIVER DIS & CIRRHOSIS	M	–	–	–	–	1	–	6	7	11	17	21	28	27	17	14	7	4	1	1	–	4	166
	F	–	–	–	–	–	1	2	3	6	5	10	10	7	7	7	1	2	1	–	–	1	63
	T	–	–	–	–	1	1	8	10	17	22	31	38	34	24	21	8	6	2	1	–	5	229

TABLE 11 – DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1982

ICD – 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90+	NS	NON RES TOTAL	GRAND TOTAL
55. CHOLELITHIASIS & OTH GALLBLAD	M	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	5	3	2	–	–	18
	F	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	3	4	2	–	1	13
	T	–	–	–	–	–	–	–	–	1	–	–	–	3	2	2	3	8	7	4	–	1	31
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																							
56. ACUTE GLOM. & NEPHROT. SYNDROME	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	T	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	-	2
57. CHR GLOM., NEPHRITIS & NEPHRO	M	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	–	–	6
	F	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	1	1	–	–	–	6
	T	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	1	3	3	–	–	–	12
58. RENAL FAILURE & RESULTING DIS	M	2	–	1	–	–	–	1	–	1	–	1	–	2	4	4	4	9	6	7	–	–	42
	F	1	–	–	–	–	–	–	–	1	–	1	1	1	1	3	4	8	7	8	–	1	37
	T	3	–	1	–	–	–	1	–	2	–	2	1	3	5	7	8	17	13	15	–	1	79
SUB-TOTAL (56-58)	M	2	–	1	–	–	–	1	–	1	–	1	1	2	4	5	4	12	8	7	–	–	49
	F	1	–	–	–	–	–	–	–	2	–	2	1	1	1	4	6	9	8	8	–	1	44
	T	3	–	1	–	–	–	1	–	3	–	3	2	3	5	9	10	21	16	15	–	1	93
59. INFECTIONS OF KIDNEY	M	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	1	2	–	–	9
	F	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	2	3	–	–	11
	T	–	–	–	–	–	–	–	–	1	–	–	2	1	1	2	2	3	3	5	–	–	20
60. HYPERPLASIA OF PROSTATE	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	5
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	T	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	5
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM																							
62. OTHER COMPLICATIONS	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2
	T	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2
SUB-TOTAL (61-62)	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2
	T	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2
63. CONGENITAL ANOMALIES	M	63	2	3	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	6	79
	F	58	–	–	1	2	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	3	68
	T	121	2	3	2	4	2	1	–	–	1	1	–	1	–	–	–	–	–	–	–	9	147
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																							
64. TRAUMA, HYPOX, ASPHYX, RESP. DIS	M	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	37
	F	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	22
	T	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	59

TABLE 11 – DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1982

ICD – 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90+	NS	NON RES TOTAL	GRAND TOTAL
65. OTHER	M	59	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	64
	F	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	58
	T	113	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	7	122
SUB-TOTAL (64-65)	M	94	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	5	101
	F	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	80
	T	168	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	11	181
66. SYMPTOMS, SIGNS & OTH COND.	M	52	–	–	–	2	1	–	–	1	1	1	–	–	1	–	4	1	3	9	–	2	78
	F	35	–	–	–	–	1	1	–	1	1	1	1	1	–	2	2	–	2	7	–	–	55
	T	87	–	–	–	2	2	1	–	2	2	2	1	1	1	2	6	1	5	16	–	2	133
67. ALL OTHER DISEASES	M	21	3	7	7	7	7	6	16	19	40	50	67	80	131	142	191	170	127	151	–	32	1274
	F	13	1	3	5	3	3	8	6	10	8	18	34	44	68	91	144	163	183	205	–	20	1030
	T	34	4	10	12	10	10	14	22	29	48	68	101	124	199	233	335	333	310	356	–	52	2304
ACCIDENTS AND ADVERSE EFFECTS																							
68. MOTOR VEHICLE ACCIDENTS	M	11	2	9	46	74	55	28	16	18	16	13	15	5	9	6	4	5	–	–	–	32	364
	F	4	4	6	27	16	13	14	10	6	5	4	7	3	2	6	3	3	1	–	–	16	150
	T	15	6	15	73	90	68	42	26	24	21	17	22	8	11	12	7	8	1	–	–	48	514
69. OTH ACCID & ADVERSE EFFECTS	M	18	3	5	16	43	36	21	18	18	18	17	11	14	14	10	11	12	16	12	–	34	347
	F	6	5	4	1	4	4	6	4	5	7	3	6	5	2	7	10	11	14	20	–	5	129
	T	24	8	9	17	47	40	27	22	23	25	20	17	19	16	17	21	23	30	32	–	39	476
SUB-TOTAL (68-69)	M	29	5	14	62	117	91	49	34	36	34	30	26	19	23	16	15	17	16	12	–	66	711
	F	10	9	10	28	20	17	20	14	11	12	7	13	8	4	13	13	14	15	20	–	21	279
	T	39	14	24	90	137	108	69	48	47	46	37	39	27	27	29	28	31	31	32	–	87	990
70. SUICIDE	M	–	–	5	30	44	37	31	16	20	26	21	15	10	11	8	5	3	1	2	–	7	292
	F	1	–	–	4	8	10	8	9	5	7	8	6	4	1	2	–	–	–	–	–	2	75
	T	1	–	5	34	52	47	39	25	25	33	29	21	14	12	10	5	3	1	2	–	9	367
71. HOMICIDE & LEGAL INTERVENTION	M	1	1	1	2	6	5	4	3	3	4	3	2	2	1	2	1	–	–	–	–	6	47
	F	4	–	–	1	5	2	1	1	1	1	–	–	3	–	–	1	–	–	–	–	1	21
	T	5	1	1	3	11	7	5	4	4	5	3	2	5	1	2	2	–	–	–	–	7	68
72. ALL OTHER EXTERNAL CAUSES	M	–	–	–	6	11	14	10	14	7	4	8	8	4	5	7	1	1	–	–	–	4	104
	F	1	–	–	3	2	9	6	–	1	2	7	5	2	2	1	1	–	–	–	–	–	42
	T	1	–	–	9	13	23	16	14	8	6	15	13	6	7	8	2	1	–	–	–	4	146
ALL-CAUSES (1-72)	M	289	22	40	126	208	178	125	134	179	247	367	472	594	791	881	958	808	558	521	–	259	7757
	F	216	17	18	53	49	68	72	81	92	111	180	260	318	406	526	627	697	643	676	–	115	5225
	T	505	39	58	179	257	246	197	215	271	358	547	732	912	1197	1407	1585	1505	1201	1197	–	374	12982

TABLE 12 – INFANT DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1982

ICD – 9 10 SELECTED CAUSES OF INFANT DEATH	SEX	NEONATAL <1	1	2	3	4	5	6	7-13	14-28	21-27	TOTAL	POST NEONATAL 28D-1M	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7-11 MOS	TOTAL	NON RES TOTAL	GRAND TOTAL
1. GASTROINTESTINAL DISEASE	M	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	3	–	3
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	T	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	3	–	3
2. PNEUMONIA AND INFLUENZA	M	–	–	2	–	–	–	–	–	–	–	2	1	–	1	–	–	–	1	3	–	5
	F	1	1	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	4
	T	1	1	2	–	–	–	–	1	–	–	5	1	–	1	–	–	–	1	3	1	9
3. CONGENITAL ANOMALIES	M	13	2	6	4	2	–	1	4	1	1	34	3	–	–	1	–	1	3	8	5	47
	F	10	1	4	3	2	–	2	4	2	1	29	1	–	1	2	1	–	3	8	2	39
	T	23	3	10	7	4	–	3	8	3	2	63	4	–	1	3	1	1	6	16	7	86
4. SHORT GEST. & L.B.W.	M	14	2	–	–	–	–	–	1	–	–	17	–	–	–	–	–	–	–	–	–	17
	F	13	–	–	–	–	–	–	1	1	–	15	–	–	–	–	–	–	–	–	–	15
	T	27	2	–	–	–	–	–	2	1	–	32	–	–	–	–	–	–	–	–	–	32
5. BIRTH TRAUMA	M	–	1	1	–	1	–	–	1	1	–	5	2	–	–	–	–	–	–	2	1	8
	F	1	1	1	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	4
	T	1	2	2	–	1	–	–	1	1	–	8	2	–	–	–	–	–	1	3	1	12
6. INTRAUT. HYPOXIA & BIRTH ASPHYX	M	3	1	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	5
	F	3	1	–	1	–	–	–	2	–	–	7	–	–	–	–	–	–	–	–	1	8
	T	6	2	–	1	–	–	–	3	–	–	12	–	–	–	–	–	–	–	–	1	13
7. RESPIRATORY DISTRESS SYNDROME	M	10	2	3	2	–	–	–	3	–	–	20	1	–	–	–	–	–	2	3	1	24
	F	5	2	–	–	–	1	–	–	–	–	8	–	–	–	–	–	–	–	–	1	9
	T	15	4	3	2	–	1	–	3	–	–	28	1	–	–	–	–	–	2	3	2	33
8. OTHER PERINATAL CONDITIONS	M	24	–	1	–	1	–	–	3	3	1	33	4	–	1	1	1	–	1	8	3	44
	F	20	3	2	1	–	–	–	1	–	2	29	4	3	2	–	–	–	1	10	4	43
	T	44	3	3	1	1	–	–	4	3	3	62	8	3	3	1	1	–	2	18	7	87
9. SUDDEN INFANT DEATH SYNDROME	M	–	–	–	–	–	–	–	1	–	1	2	11	12	12	7	5	1	1	49	1	52
	F	–	–	–	–	–	–	–	–	–	1	1	6	8	10	4	3	–	1	32	–	33
	T	–	–	–	–	–	–	–	1	–	2	3	17	20	22	11	8	1	2	81	1	85
10. ALL OTHER CAUSES	M	13	2	1	1	1	–	–	1	2	3	24	4	5	4	3	1	–	6	23	2	49
	F	9	2	–	–	–	–	–	2	1	2	16	5	1	2	2	1	–	10	21	–	37
	T	22	4	1	1	1	–	–	3	3	5	40	9	6	6	5	2	–	16	44	2	86
ALL-CAUSES (1-10)	M	77	10	14	7	5	–	1	15	7	6	142	27	17	18	12	7	3	15	99	13	254
	F	62	11	7	5	2	1	2	11	4	6	111	16	12	15	8	5	–	16	72	9	192
	T	139	21	21	12	7	1	3	26	11	12	253	43	29	33	20	12	3	31	171	22	446

SUMMARY OF VITAL STATISTICS

Alberta

1982

VITAL STATISTICS SUMMARY, ALBERTA, 1982

POPULATION

Estimated population of Alberta as of June 1, 1982 was 2,322,310.[1]

BIRTHS

A total of 44,610 live births to Alberta residents in Alberta were registered in 1982. This figure represents a birth rate of 19.2 per 1,000 population. Of the total live births registered, 824 or 1.8% were multiple births.

MARRIAGES

During 1982 there were 22,333 marriages performed in Alberta, representing 9.6 marriages for every 1,000 people. Of the grooms, 17,373 had not been married before, and 4,487 had been divorced. Of the brides, 17,474 had not been married before, and 4,301 had been divorced.

ADOPTIONS

In 1982, there were 1,962 registered adoptions in Alberta.

LEGAL CHANGE OF NAME

In 1982, 2,719 legal changes of name were registered in Alberta.

DEATHS

There were 12,982 deaths in Alberta in 1982; 12,608 were Alberta residents. Of the resident deaths, 7,498 were male and 5,110 were females. The death rate was 5.6 per 1,000 population.

LEADING CAUSES OF DEATH

The seven leading causes of death in Alberta in 1982, and the rates per 1,000 population were:

"Malignant Neoplasms" (1.21); "Diseases of the Heart" (1.20); "Accidents and Adverse Effects" (1.20); "Cerebrovascular Disease" (0.35); "Chronic Obstructive Pulmonary Disease" (0.19); "Pneumonia and Influenza" (0.19) and "Suicide" (0.16).

[1] Alberta Bureau of Statistics, Population Estimates.

INFANT MORTALITY

The number of resident infant deaths was 424; 241 males and 183 females. The number of neonatal deaths was 253; 142 males and 111 females. "Other Perinatal Conditions" was the most common cause of infant death, followed by "Congenital Anomalies".

STILLBIRTHS

In 1982, there were 377 registered stillbirths, a rate of 8.45 per 1,000 live births.

RATE OF NATURAL INCREASE

The rate of natural increase was 13.78 per 1,000 population in 1982.

BIRTHS, DEATHS AND MARRIAGES

Alberta Municipalities of Population 1,000 or Greater, 1982

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1982

Municipality Name	Population 1982*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Airdrie	9,981	354	35.47	36	3.61	20	2.00
Athabasca	1,731	30	17.33	41	23.69	29	16.75
Barrhead	3,736	85	22.75	88	23.55	54	14.45
Bassano	1,200	31	25.83	16	13.33	13	10.83
Beaumont	2,927	115	39.29	15	5.12	5	1.71
Beaverlodge	1,937	45	23.23	36	18.59	12	6.20
Black Diamond	1,545	38	24.60	10	6.47	9	5.83
Blackfalds	1,488	41	27.55	4	2.69	5	3.36
Bon Accord	1,425	37	26.96	7	4.91	7	4.91
Bonnyville	4,454	125	28.06	53	11.90	48	10.78
Bowden	1,021	15	14.69	12	11.75	10	9.79
Bow Island	1,427	22	15.42	14	9.81	22	15.42
Brooks	9,421	221	23.46	91	9.66	56	5.94
Bruderheim	1,238	23	18.58	4	3.23	6	4.85
Calgary	623,133	11,767	18.88	6,481	10.40	2,975	4.77
Calmar	1,061	30	28.28	5	4.71	11	10.44
Camrose	12,809	241	18.81	150	11.71	115	8.98

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1982

Muncipality Name	Population 1982*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Canmore	3,689	82	22.23	28	7.59	18	4.88
Cardston	3,267	152	46.53	287	87.85	45	13.77
Carstairs	1,725	48	27.83	26	15.07	16	9.28
Castor	1,123	10	8.90	20	17.81	13	11.58
Claresholm	3,493	47	13.46	30	8.59	40	11.45
Coaldale	4,597	79	17.19	27	5.87	33	7.18
Coalhurst	1,111	10	9.00	5	4.5	3	2.70
Cochrane	3,851	106	27.53	38	9.87	18	4.67
Cold Lake	2,058	57	27.70	23	11.18	23	11.18
Coronation	1,268	37	29.18	14	11.04	23	18.14
Crossfield	1,330	30	22.56	15	11.28	4	3.01
Crowsnest Pass	7,577	2	0.26	0	0.00	0	0.00
Devon	3,931	97	24.68	21	5.34	7	1.78
Didsbury	3,256	64	19.66	35	10.75	31	9.52
Drayton Valley	4,867	128	26.30	81	16.64	28	5.75
Drumheller	6,508	111	17.06	78	11.99	92	14.14
Edmonton	551,314	10,813	19.61	6,083	11.03	3,094	5.61

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1982

Municipality Name	Population 1982	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Edson	6,291	177	28.14	86	13.67	40	6.36
Elk Point	1,051	21	19.98	18	17.13	14	13.32
Fairview	2,869	55	19.17	36	12.55	14	4.88
Fahler	1,204	25	20.76	4	3.32	4	3.32
Fort MacLeod	3,139	54	17.20	47	14.97	40	12.74
Fort McMurray	33,576	800	23.83	252	7.51	50	1.49
Fort Saskatchewan	12,455	221	17.74	83	6.66	40	3.21
Fox Creek	1,978	51	25.78	6	3.03	3	1.52
Gibbons	2,592	75	29.94	10	3.86	18	6.94
Grand Centre	3,146	60	19.07	39	12.40	20	6.36
Grande Cache	4,624	121	26.17	38	8.22	10	2.16
Grande Prairie	24,263	591	24.36	353	14.55	124	5.11
Grimshaw	2,488	58	23.31	12	4.82	9	3.62
Hanna	2,828	37	13.08	36	12.73	45	16.91
High Level	2,354	87	36.96	27	11.47	15	6.37
High Prairie	2,506	70	27.93	38	15.16	38	15.16

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1982

Municipality Name	Population 1982*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
High River	4,941	84	17.00	67	13.56	50	10.12
Hinton	8,819	223	25.29	86	9.75	20	2.27
Innisfail	5,444	102	18.74	70	12.86	37	6.80
Killam	1,005	16	15.92	14	13.93	12	11.94
Lac La Biche	2,069	83	40.12	40	19.33	30	14.50
Lacombe	5,723	103	18.00	75	13.11	45	7.86
Lamont	1,644	27	16.42	4	2.43	26	15.82
Leduc	12,471	243	19.49	73	5.85	48	3.85
Legal	1,042	31	29.75	12	11.52	5	4.80
Lethbridge	56,500	928	16.42	686	12.14	420	7.43
Lloydminster	9,029	15	1.66	158	17.50	31	3.43
Magrath	1,576	43	27.28	8	5.08	17	10.79
Manning	1,262	49	38.83	30	23.77	19	15.06
Mayerthorpe	1,475	34	23.05	17	11.53	21	14.24
McLennan	1,176	21	17.86	10	8.50	18	15.31
Medicine Hat	40,380	737	18.25	471	11.66	332	8.22

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1982

Municipality Name	Population 1982*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Millet	1,087	42	38.64	6	5.52	9	8.28
Morinville	4,943	164	33.18	39	7.89	14	2.83
Nanton	1,647	28	17.00	25	15.18	25	15.18
Okotoks	4,521	112	24.77	44	9.73	15	3.32
Olds	4,888	87	17.80	60	12.27	60	12.27
Oyen	1,002	24	23.95	10	9.98	12	11.98
Peace River	6,043	141	23.33	87	14.40	54	8.94
Penhold	1,518	61	40.18	10	6.59	2	1.32
Picture Butte	1,404	24	17.09	14	9.97	17	12.11
Pincher Creek	3,757	63	16.77	51	13.57	20	5.32
Ponoka	5,221	76	14.56	74	14.17	77	14.75
Provost	1,756	20	11.39	29	16.51	26	14.81
Raymond	2,837	65	22.91	23	8.11	26	9.16
Red Deer	48,562	1,042	21.46	694	14.29	262	5.40
Redcliff	3,814	59	15.47	10	2.62	13	3.41
Redwater	2,174	30	13.80	13	5.98	16	7.36

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1982

Municipality Name	Population 1982*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Rimbey	1,880	21	11.17	48	25.53	23	12.23
Rocky Mountain House	4,735	135	28.51	80	16.90	40	8.45
Sexsmith	1,184	24	20.27	16	13.51	14	11.82
Slave Lake	4,562	118	25.87	38	8.33	12	2.63
Smoky Lake	1,165	14	12.02	18	15.45	26	22.32
Spirit River	1,104	28	25.36	12	10.87	18	16.30
Spruce Grove	10,784	321	29.77	128	11.87	32	2.97
St. Albert	32,984	570	17.28	236	7.15	82	2.49
Stettler	5,136	86	16.74	73	14.21	73	14.21
Stony Plain	5,105	110	21.55	70	13.71	37	7.25
St. Paul	4,884	113	23.14	96	19.66	59	12.08
Strathmore	3,199	100	31.26	37	11.57	33	10.32
Sundre	1,750	35	20.00	30	17.14	22	12.57
Swan Hills	2,497	44	17.62	10	4.00	3	1.20
Sylvan Lake	3,779	107	28.31	40	10.58	31	8.20
Taber	5,988	120	20.04	75	12.53	58	9.69

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1982

Municipality Name	Population 1982*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Three Hills	1,879	47	25.01	38	20.22	19	10.11
Tofield	1,560	33	21.15	18	11.54	31	19.87
Turner Valley	1,337	16	11.97	6	4.49	12	9.98
Two Hills	1,330	22	16.54	11	8.27	24	18.05
Valleyview	2,061	66	32.02	16	7.76	16	7.76
Vauxhall	1,048	18	17.18	20	19.08	6	5.73
Vegreville	5,251	64	12.19	77	14.66	60	11.43
Vermilion	3,727	75	20.12	49	13.15	47	12.61
Viking	1,238	15	12.12	10	8.08	32	25.85
Vulcan	1,474	21	14.25	24	16.28	18	12.21
Wainwright	4,266	73	17.11	49	11.49	66	15.47
Wembley	1,209	33	27.30	3	2.48	72	5.79
Westlock	4,432	80	18.05	89	20.08	55	12.41
Wetaskiwin	9,896	185	18.69	150	15.16	93	9.40
Whitecourt	5,408	149	27.55	55	10.07	18	3.33

* Alberta Municipal Affairs Official Population List, 1982.

1 Birthrate is very low in Lloydminster because the hospital is located on the Saskatchewan side of the border. Therefore, births to Alberta residents in hospital are not recorded as Alberta events, but will be included in the Statistics Canada figures when out-of-province events are added. This may also affect the death rates as deaths occurring in the hospital would be recorded in the same manner.

COMPARATIVE VITAL STATISTICS FOR SELECTED REGIONS AND COUNTRIES FOR 1980 AND 1981

Vital Statistics and
Disease Registries Section,
Health Division

February 1983

Comparative Vital Statistics for Selected Regions and Countries

Most of the 1981 vital statistics annual reports for Canada have already been published and the remaining reports are in the process of being released shortly. Many indicators for the year 1981 of the vital events in Canada have been available for several weeks. With the availability of the 1980 UN Demographic Yearbook, it has been possible to prepare and present, in the following set of tables, comparative rates and ratios for the selected countries (for the latest available year) with those for Canada for the years 1980 and 1981. Along with the usual set of tabulations, a comparative table showing the mortality rates for the fifteen leading causes of death in the United States for the year 1981 is also given. The counts and rates for the countries other than Canada, in the tabulations, are compiled from the United Nations Demographic Yearbook for 1980. Any questions regarding the tabulations included in this report should be referred to D. Nagnur or D. Lucas, Vital Statistics and Disease Registries Section, Health Division (613-995-9593).

WORLD SUMMARY OF VITAL RATES

	Estimated 1980 Population (in Millions)	Rate per 1,000 population		
		Births 1975-1980	Deaths 1975-1980	Rate of Natural Increase
1. World	4,415	29	12	17
2. Africa	469	46	17	29
3. America	615	27	8	19
North America	246	15	9	6
Latin America	368	35	8	27
4. Asia	2,558	31	12	19
5. Europe (except U.S.S.R.)	484	15	11	4
6. Oceania	23	22	9	13
7. U.S.S.R.	267	18	9	9

Reference: U.N. Demographic Yearbook, 1980.

Table-DN-DL-01-83

(1)

Death Rates for 15 Leading causes of Death, Canada, 1981 as compared with U.S. Rates, 1981

Causes of Death (ICD 9, 1975)	Canada Males		Canada Females		Canada Both Sexes			United States Both Sexes		
	Rate	% to Total Male Deaths	Rate	% to Total Female Deaths	Rank	Rate	% to Total Deaths	Rank	Rate	% to Total Deaths
All Causes	804.2	100.0	602.6	100.0	...	702.6	100.0	...	866.4	100.0
Diseases of Heart	278.7	34.5	201.7	33.2	1	239.9	34.0	1	330.6	38.2
Malignant neoplasms, including neoplasms of lymphatic & haematopietic tissues	185.9	23.1	146.4	24.3	2	166.0	23.6	2	184.3	21.3
Cerebrovascular diseases	54.7	6.8	67.2	11.1	3	61.0	8.7	3	71.1	8.3
Accidents & adverse effects	64.2	8.0	25.8	4.3	4	44.8	6.4	4	44.5	5.1
Motor vehicle accidents	33.5	4.2	11.3	1.9	...	22.3	3.2	...	22.8	2.6
All other accidents & adverse effects	30.7	3.8	14.5	2.4	...	22.5	3.2	...	21.7	2.5
Chronic obstructive pulmonary disease and allied conditions	31.9	4.0	10.6	1.8	5	21.1	3.0	5	26.1	3.0
Pneumonia and influenza	20.5	2.6	17.4	2.9	6	18.9	2.7	6	23.7	2.7
Suicide	21.3	2.6	6.8	1.1	7	14.0	2.0	10	12.3	1.4
Atherosclerosis	10.4	1.3	15.3	2.5	8	12.8	1.8	9	12.5	1.4
Diabetes mellitus	10.9	1.4	13.4	2.2	9	12.1	1.7	7	15.2	1.7
Chronic liver disease and cirrhosis	15.2	1.9	7.1	1.2	10	11.1	1.6	8	12.9	1.5
Congenital anomalies	7.3	0.9	5.6	0.9	11	6.5	0.9	14	5.8	0.7
Certain conditions originating in the perinatal period	7.2	0.9	5.0	0.8	12	6.1	0.9	12	9.2	1.1
Nephritis, nephrotic syndrome and nephrosis	6.1	0.8	5.5	0.9	13	5.8	0.8	13	7.6	0.9
Homicide and legal intervention	2.9	0.4	1.7	0.3	14	2.3	0.3	11	10.7	1.2
Septicaemia	1.1	0.1	1.1	0.2	15	1.1	0.2	15	4.4	0.5
All other causes	86.8	10.8	73.6	12.2	...	80.2	11.4	...	94.9	10.9

(1) Note: Rate per 100,000 population

Table-DN-DL-04-83

COMPARATIVE VITAL STATISTICS DATA FOR SOME SELECTED COUNTRIES

Country	Year	Population in Millions	Rate per 1,000 Population			Rate per 1,000 Population		Rate per 1,000 Live Births	Expectation of Life at Birth (1)	
			Births	Deaths	Natural Increase	Marriages	Divorces	Infant Mortality	Male	Female
Canada	1977	23.26	15.5	7.2	8.3	8.0	2.4	12.4	70.2	77.5
	1978	23.48	15.3	7.2	8.1	7.9	2.4	12.0	----	----
	1979	23.68	15.5	7.1	8.4	7.9	2.5	10.9	----	----
	1980	23.94	15.5	7.2	8.3	8.0	2.6	10.4	----	----
	1981	24.34	15.3	7.0	8.3	7.8	2.8	9.6	----	----
Australia	1980	14.62	15.3	7.3	8.0	7.3	2.6(6)	12.2(2)	70.8	77.8
Belgium	1980	9.86	12.7	11.6	1.1	6.7	1.5	11.2(6)	68.6	75.1
Czechoslovakia	1980	15.32	16.2	12.1	4.1	7.7	2.2	16.6	67.1	74.1
Denmark	1980	5.12	11.2	10.9	0.3	5.2	2.6	8.8(6)	71.3	77.4
Finland	1980	4.78	13.1	9.4	3.7	6.2	2.0	7.6(6)	68.9	77.2
France	1980	53.71	14.8	10.1	4.7	6.2	1.6(6)	9.9	69.9	78.0
Germany, Federal Republic of	1980	61.56	10.0	11.5	-1.5	5.9	0.5(5)	13.5(6)	69.0	75.6
Greece	1980	9.60	15.9(6)	8.7(6)	7.2(6)	7.6(6)	0.5(6)	18.7(6)	70.8	75.0
Hungary	1980	10.71	13.9	13.6	0.3	7.5	2.6(6)	23.1	66.7	73.6
Ireland	1980	3.31(3)	21.5(6)	9.7(6)	11.8(6)	6.2(6)	---	12.4(6)	69.8	74.8
Israel	1980	3.87	24.1	6.7	17.4	7.7	1.2	14.1	71.5	75.0
Italy	1980	57.04	11.2	9.7	1.5	5.7	0.2	14.3	69.7	75.9
Japan	1980	116.78	13.6	6.2	7.4	6.6	1.2	7.4	73.0	78.3
Mexico	1980	71.91	41.7(3)	6.0(5)	34.1(3)	6.4(6)	0.3(5)	44.1(5)	62.8	66.6
Netherlands	1980	14.14	12.8	8.1	4.7	6.1(6)	1.5(5)	8.6	72.4	78.9
New Zealand	1980	3.10	16.9(6)	8.2(6)	8.7(6)	7.2(5)	1.9(5)	12.6(6)	69.0	75.5
Norway	1980	4.09	12.5	10.0	2.5	5.5	1.6(6)	8.8(6)	72.3	78.7
Poland	1980	35.58	19.5	9.8	9.7	8.6	1.2	21.2	67.3	75.0
Scotland	1979	5.17	13.4	12.7	0.5	7.5	1.6(5)	12.8	68.1	74.4
Spain	1980	37.43	18.0	9.2	8.3	6.8	---	11.1	70.4	76.2
Sweden	1980	8.31	11.7	11.0	0.7	4.5	2.4	6.7	72.5	78.7
Switzerland	1980	6.37	11.6	9.3	2.3	5.6	1.7	8.5(6)	70.3	76.2
United Kingdom	1980	55.89(3)	13.1	12.1(6)	1.0(2)	7.4	3.0	12.2	70.0	76.2
United States	1980	227.64(3)	15.8	8.7	7.1	10.6	5.2	12.5	69.5	77.2
U.S.S.R.	1980	265.54	18.3	10.4	7.9	10.3	3.5	27.7(4)	64.0	74.0

(1) Figures refer to the latest available years and vary from 1971 to 1980.
(2) Estimated.
(3) Estimates prepared by the United Nations Population Division.
(4,5,6) Refer to the years different from those in column one; 4 represents 1975, 5 represents 1978 and 6 represent 1979.
Ref.: Vital Statistics Annual Reports, 1980 and 1981.
U.N. Demographic Yearbook 1980; refer to same for detailed footnotes and provisional nature of the data.

Table-DN-DL-02-83

Comparative Infant Mortality Statistics for Some Selected Countries

Country	Year	Stillbirth Ratio(1)	Death Rates(1)				
			Under 1 day	1-6 days	7-27 days	28-364 days	Total Infant(2)
Canada	1980	5.3	3.7	1.9	1.0	3.8	10.4
	1981	5.3	3.6	1.8	0.8	3.3	9.6
Australia	1979	6.8(5)	4.3	2.1	1.2	3.8	11.4
Belgium	1977	8.9	4.2	3.7	1.2	4.4	13.6
Czechoslovakia	1978	6.5	6.8	4.9	2.1	5.0	18.8
Denmark	1979	5.2*	2.4*	2.4*	0.9*	3.1*	8.8*
Finland	1978	4.2*	1.9*	2.5*	1.1*	2.1*	7.6*
France (3)	1979	9.2	1.8	2.9	1.3	4.0	10.0
Germany, Federal Republic of	1978	6.3	3.3	4.2	1.8	5.5	14.7
Greece	1978	10.3	4.7	6.9	3.2	4.5	19.3
Hungary	1979	8.2	8.5	7.6	2.6	5.3	24.0
Ireland	1976	11.3*	4.7	4.0	1.7	5.1	15.5
Israel	1978	8.8(4)*	3.9	4.5	2.5	6.3	17.2
Italy	1978	9.0	5.3	6.1	1.9	3.8	17.1
Japan	1979	8.3	1.9	2.3	1.0	2.6	7.9
Mexico	1976	15.7(4)	2.9	9.7	7.1	32.2	52.0
Netherlands	1979	7.2(5)	2.1	2.8	1.0	2.8	8.7
New Zealand	1978	7.1*	3.1*	2.8*	1.5*	6.4*	13.8*
Norway	1979	7.4*	1.5*	3.0*	0.9*	3.4*	8.8*
Poland	1978	7.2	4.6	6.8	3.3	7.8	22.5
Scotland	1979	6.9*	4.2	3.1	1.4	4.1	12.8
Spain	1976	10.8	5.7	3.6	2.5	5.3	17.1
Sweden	1979	4.6*	2.0	2.6	0.8	2.1	7.5
Switzerland	1979	5.7*	3.1	2.0	0.8	2.6	8.5
United Kingdom	1979	8.0	3.7	3.0	1.5	4.6	12.8
United States	1978	7.1(4)	5.1	2.9	1.5	4.3	13.8

(1) Rates and ratios per 1,000 live births.
(2) These rates may be different from those shown in the earlier table because of the different year to which these refer.
(3) Excludes deaths of infants dying before registration of births and includes nationals temporarily outside the country.
(4,5) Refer to the years different from those in column one; 4 represents 1977 and 5 represent 1978.
* Rates estimated on the basis of data in the Demographic Yearbook, 1980.

Ref.: Vital Statistics Annual Reports, 1980 and 1981.
U.N. Demographic Yearbook 1980; refer to same for detailed footnotes.

Table-DN-D1-03-83

GLOSSARY OF TERMS

Vital Statistics:	Records dealing with births, deaths, marriages and adoptions: all events which have to do with an individual's entrance into or departure from life, together with changes in civil status.
Live Birth:	A complete expulsion or extraction from the mother, irrespective of the duration of the pregnancy, of a foetus in which, after expulsion or extraction, there is breathing, beating of the heart, pulsation of the umbilical cord or definite movement of a voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached.
Stillbirth:	Foetal death of at least 20 weeks gestation or 500 grams weight.
Gestation:	Time between the conception and birth of an infant, the usual length being 40 weeks.
Wedlock:	For purpose of this report, in-wedlock means that the parents of the child are married to each other at the time of the birth, or are subsequently married and have changed the birth registration.
Birth Order:	Number of live births to the mother, including this birth.
Infant Death:	Death of a child between birth and one year of age.
Neo-natal Death:	Death of an infant 28 days of age or less.
Natural Increase:	Excess of births minus deaths.

LIST OF 72
SELECTED CAUSES OF DEATH

9th Revision

INTERNATIONAL CLASSIFICATION
OF DISEASES

LIST OF 72 SELECTED CAUSES OF DEATH

NUMBER	CAUSE OF DEATH	ICD9 CODE
1	Shigellosis and amebiasis	004,006
2	Certain other intestinal infection	007-009
	Tuberculosis	010-018
3	Tuberculosis of respiratory system	010-012
4	Other Tuberculosis	013-018
5	Whooping cough	033
6	Streptococcal sore throat, scarlatina and erysipelas	034-035
7	Meningococcal infection	036
8	Septicemia	038
9	Acute poliomyelitis	045
10	Measles	055
11	Viral hepatitis	070
12	Syphilis	090-097
13	All other infectious and parasitic diseases	001-003,005,020-032,037,039-041 046-054,056-066,071-088,098-139
	Malignant neoplasms, including neoplasms of lymphatic and hematopietic tissues	140-208
14	Malignant neoplasms of lip, oral cavity and pharynx	140-149
15	Malignant neoplasms of digestive organs and peritoneum	150-159
16	Malignant neoplasms of respiratory and intrathoracic organs	160-165
17	Malignant neoplasms of breast	174-175
18	Malignant neoplasms of genital organs	179-187
19	Malignant neoplasms of urinary organs	188-189
20	Malignant neoplasms of all other and unspecified sites	170-173,190-199 204-208
21	Leukemia	200-203
22	Other malignant neoplasms of lymphatic and hematopoietic tissues	
23	Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behaviour and of unspecified nature	210-239
24	Diabetes mellitus	250
25	Nutritional deficiencies	260-269
26	Anemias	280-285
27	Meningitis	320-322
	Major cardiovascular diseases	390-448
	Diseases of heart	390,398,402,404-429
28	Rheumatic fever and rheumatic heart disease	390-398
29	Hypertensive heart disease	402
30	Hypertensive heart and renal disease	404
	Ischemic heart disease	410-414

LIST OF 72 SELECTED CAUSES OF DEATH - Continued

NUMBER	CAUSE OF DEATH	ICD9 CODE
31	Acute myocardial infarction	410
32	Other acute and subacute forms of ischemic heart disease	411
33	Angina pectoris	413
34	All other forms of chronic ischemic heart disease	412-414
35	Other diseases of endocardium	424
36	All other forms of heart disease	415-423, 425-429
37	Hypertension with or without renal disease	401,403
	Cerebrovascular diseases	430-438
38	Intracerebral and other intracranial hemorrhage	431-432
39	Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9
40	Cerebral embolism	434.1
41	All other and late effects of cerebrovascular diseases	430,433,435-438
42	Atherosclerosis	440
43	Other diseases of arteries, arterioles and capillaries	441-448
44	Acute bronchitis and bronchiolitis	466
	Pneumonia and influenza	480-487
45	Pneumonia	480-486
46	Influenza	487
	Chronic obstructive pulmonary diseases and allied conditions	490-496
47	Bronchitis, chronic and unspecified	490-491
48	Emphysema	492
49	Asthma	493
50	Other chronic obstructive pulmonary diseases and allied conditions	494-496
51	Ulcer of stomach and duodenum	531-533
52	Appendicitis	540-543
53	Hernia of abdominal cavity and intestinal obstructions without mention of hernia	550-553,560
54	Chronic liver disease and cirrhosis	571
55	Cholelithiasis and other disorders of gallbladder	574-575
	Nephritis, nephrotic syndrome and nephrosis	580-589
56	Acute glomerulonephritis and nephrotic syndrome	580-581
57	Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587

LIST OF 72 SELECTED CAUSES OF DEATH - Continued

NUMBER	CAUSE OF DEATH	ICD9 CODE
58	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586,588-589
59	Infections of kidney	590
60	Hyperplasia of prostate	600
	Complications of pregnancy, childbirth, and the puerperium	630-676
61	Pregnancy with abortive outcome	630-638
62	Other complications of pregnancy, childbirth, and the puerperium	640-676
63	Congenital anomalies	740-759
	Certain conditions originating in the perinatal period	760-779
64	Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769
65	Other conditions originating in the perinatal period	760-766,770-779
66	Symptoms, signs, and ill-defined conditions	780-799
67	All other diseases	Residual
	Accidents and adverse effects	E800-E949
68	Motor vehicle accidents	E810-E825
69	All other accidents and adverse effects	E800-E807,E826-E949
70	Suicide	E950-E959
71	Homicide and legal intervention	E960-E978
72	All other external causes	E980-E999

LIST OF 10 SELECTED CAUSES OF INFANT DEATH

NUMBER	CAUSE OF DEATH	ICD9 CODE
1	Certain gastrointestinal diseases	008-009, 535, 555-588
2	Pneumonia and influenza	480-487
3	Congenital anomalies	740-759
4	Disorders relating to short gestation and unspecified low birthweight	765
5	Birth trauma	767
6	Intrauterine hypoxia and birth asphyxia	768
7	Respiratory distress syndrome	769
8	Other conditions originating in the perinatal period	760-764, 766, 770-779
9	Sudden infant death syndrome	798.0
10	All other causes	Residual